

UNITED STATES PATENT APPLICATION

OF: CRAIG W. BARNETT
KAREN R. REISNER
MARK BRAUNSTEIN

FOR: METHOD AND SYSTEM FOR ELECTRONIC
DISTRIBUTION OF PRODUCT REDEMPTION COUPONS

BACKGROUND OF THE INVENTION

Sm
Sm
The present invention relates to the electronic distribution of secure money saving or discount coupons and other marketing incentives and in particular to use of a centrally located online computer system for interactively distributing such coupons to remotely connected consumer computers and for collecting user-specific data regarding coupon usage and user demographic information from the remote computers.

Millions of consumers regularly use product redemption coupons and realize substantial savings as a result. Significant time is spent clipping and sorting coupons, discarding expired coupons and organizing current coupons for use on shopping trips. Conventional coupon distribution results in significant wasted time due to consumers' attempts to manage their coupon use.

Coupons are delivered to consumers through a variety of media. The primary coupon distribution is via pull-out sections in newspapers, which are known as free standing inserts (FSIs). This accounts for just over 80% of coupons used. Other methods of distribution include in-store shelf coupon dispensers, check-out coupons (generally issued based on the customer's current purchase), register receipt coupons, in-product coupons, instant peel-off on-product coupons and direct mail coupons. In addition to manufacturers' coupons, consumers use retail store coupons, such as those issued by large retail chains on a weekly basis.

Some consumers use coupons on a fairly random basis. These consumers tend not to keep coupons for future use, but will review coupons available just prior to shopping to see if any of them cover products they plan to buy or if there are any for new or improved products of interest.

More organized coupon users maintain some form of storage system to keep coupons for future use. These consumers often clip coupons regularly from all available sources, and often have coupon filing systems by product category. They will also review their coupons regularly, discarding unused coupons which have expired.

For most consumers, attempts to maintain an organized coupon file often fails. The "bother" and time required to maintain organized coupon files often results in neglect of those files, even though diligent shoppers know that a consistent significant savings is easily achievable using coupons.

The notion of issuing product redemption coupons to consumers was an innovative idea to entice consumers to try new products in the hope that, after the first try of a new product at a coupon discounted price, they would become repeat customers at the regular price. Coupons are effective tools used in launching new products. Manufacturers also find coupons can shore up flagging sales, help reduce excess inventory or win back consumers' brand loyalty, and so coupons for existing products have become customary, so much so that

today's consumers have come to expect coupons. Often, coupon price incentives significantly reduce brand loyalty, and manufacturers must issue more coupons than desired to maintain market share. Market share has also been impacted by an increase in the number and variety of competing "no-name" store brands. The competitive nature of the retail industry does not allow manufacturers to reduce coupon distribution, and in some market sectors, such as cereals, the majority of purchases are made with coupons.

Consumers are most familiar with FSIs as a source for manufacturers' coupons. In 1993, the coupon redemption rate from FSIs was 2.3%, and gradually declining. The primary factors which keep the redemption rate low include consumers not needing or wanting the product advertised, consumers not bothering to clip coupons, losing clipped coupons or leaving them behind on shopping trips, lack of 100% distribution of newspapers, overcouponsing within specific areas, and unavailability of new products when the coupon is issued.

Free standing inserts currently represents the largest share of the coupon distribution industry, roughly 80.2%. On average, manufacturers who use FSIs for coupon distribution, spend approximately \$.92 per coupon redeemed, which is the lowest redeemed cost per coupon redeemed when compared with other current coupon distribution methods. FSI coupon distribution results in high costs per coupon because of the sheer complexity of and volume of materials involved in coupon distribution and redemption. Charges to manufacturers by FSI producers cover set-up, paper, printing, freight,

newspaper insertion costs, sales and marketing, overhead and profit.

Direct mail coupons accounted for approximately 4.4% of coupon distribution in 1992. Direct mail coupons may be issued as part of a nationwide campaign or a regional campaign, may be cooperative or solo, and may be mass, zip-code/lifestyle/lifestage segmented or household targeted. Regional direct mail coupons are more common, and are usually limited to marketing the products and/or services of local vendors. Companies who practice database marketing make use of direct mail campaigns for delivering targeted incentives.

Run-of-Press ("ROP") Coupons accounted for 4.1% of the coupons distributed in 1992. These coupons consist primarily of stand alone newspaper advertisements with clip-out coupons. Often these advertisements are specifically placed to coincide with a relevant feature article. This form or coupon is marketed directly or through third party coupon issuers who have the nationwide newspaper distribution channels through which to place ROP coupons.

In/on pack coupons accounted for 3.5% of the coupons distributed in 1992. On pack coupons consist of an attached coupon which is removed and redeemed at the cash register at the time of purchase. In pack coupons are found within the product and act as an incentive to customers to repurchase the same product. It is estimated that the actual cost per in/on pack coupon redeemed is significantly less than that associated with other coupon distribution methods. Most on-

pack coupons are redeemed as customers pay for their purchases. However, this also means that all items are sold at the coupon discount, lowering a manufacturer's overall revenues per product more so than other types of coupons.

In 1992, various other coupon distribution methods represented 5% of coupons distributed. Two important coupon distribution methods in this category include shelf distribution and custom prepared coupon distribution.

Thousands of stores use coupon dispensers which are attached to a product's shelf. Customers can pull out one coupon from the dispenser for the product advertised. This method of coupon distribution is designed to reach the consumer at the point of making a purchase decision, and has a redemption rate of approximately 18%.

Check-out coupons are printed at the check-out by a printer installed at the cash register. A computer analyzes the purchases made by each customer, and can print competitor's coupons or other coupons related to items in the current purchase. This system has a coupon redemption rate of approximately 9%.

The coupon industry expends a great deal of resources in market research, printing, issuing, distributing and redeeming coupons, yet produces an extremely low redemption rate. This is attributed to the haphazard systems used by most consumers of manually clipping, filing, sorting through, and ultimately using the coupons, and to the high cost associated with targeting coupons to each consumer.

Attempts have been made in the prior art to meet the needs of the coupon industry and the consumer. U.S. Patent No. 5,249,044 to Von Kohorn describes a television-based coupon reception system wherein coupon information is transmitted along with program information to a broadcast audience. A member of the audience can generate a coupon for subsequent redemption at a store.

U.S. Patent No. 5,285,278 and 5,287,181 to Holman also teach a television-based coupon reception system. Coupon information is encoded into a television broadcast signal and decoded at the consumer's television by circuitry similar to that used for closed-caption broadcast decoding. The extracted coupon information is then recorded on a medium such as a magnetic stripe card or a microprocessor-based "smart card". The user can then present the medium at the supermarket in order to automatically receive the appropriate discount

U.S. Patent No. 5,185,695 to Pruchniki discloses an electronic paperless coupon system which obviates the need for a paper coupon in order to save printing, processing and clearinghouse costs as well as eliminating counterfeiting. Coupon redemption information is transmitted from a central system to local retailers, where coupon signs are placed near the related item. The discount is automatically applied at the point of sale without the need for the consumer to present a paper coupon.

U.S. Patent No. 5,176,224 to Spector teaches a closed-loop coupon system which consists of a kiosk type printer station located at a retail store. The kiosk is linked to the manufacturer(s) in order to obtain specific coupon information. The consumer selects the desired coupon at the kiosk, and the coupon is printed and dispensed. The consumer presents the coupon at the register, where the discount is applied and the discount transaction data is transmitted back to the manufacturer.

U.S. Patent No. 4,674,041 to Lemon et al. discloses a system with remotely located coupon printing stations capable of limiting the number of coupons printed in a given time period. Each coupon station has a display for indicating the available coupons, selection means to allow the consumer to choose the desired coupon, and a coupon printer. The system disables display of a particular coupon when a preselected coupon limit has been reached.

While these aforementioned prior art attempts at providing couponing systems are useful in their own right, they fail to provide for a secure and interactive coupon generation system in which the user can request, select, store, manipulate and print coupons as desired, in which user-specific information such as demographic data and data representative of those coupons so requested, selected, printed and actually used may be provided back to the coupon issuer and distributor for more efficient coupon targeting in subsequent coupon issuance and distribution.

It is therefore an object of the present invention to provide such a coupon distribution system which overcomes the aforementioned problems and shortcomings of the prior art.

5 It is an object of the present invention to provide an electronic coupon distribution system which can be easily accessed by masses of consumers by using a readily available personal computer rather than needing to purchase special-purpose equipment.

10 It is a further object of the present invention to provide such an electronic coupon distribution system which allows a user to request transmission of coupon data and select, store, manipulate and print coupons from such coupon data.

15 It is a further object of the present invention to provide such an electronic coupon distribution system which allows the coupon issuing companies to access valuable information directly from the consumer without requiring specific and additional action by the consumer but rather by using the information from the user's personal computer regarding the consumer's selection, printing and actual redemption of coupons, as well as responses to demographic queries posed to the users.

20 It is a further object of the present invention to provide such an electronic coupon distribution system which allows a consumer to generate shopping lists associated with

coupons selected and printed, in order to simplify the shopping process and promote the use of product coupons.

It is a further object of the present invention to provide such an electronic coupon distribution system which allows for automatic deletion of expired coupons in the user's computer database and the modification of redemption amounts of coupons in the user's database, both of which can be transparent to the user.

It is a still further object of the present invention to provide a secure coupon system which generates unique coupons with user-identifying data and allows the printing of a coupon only once, thus eliminating the possibility of fraud by both the consumer and the retailer.

It is a still further object of the invention to provide an efficient, low cost, zip-code/lifestyle/lifestage or household targeted coupon distribution system to tailor the incentives to each user.

SUMMARY OF THE INVENTION

In accordance with these and other objects, provided is a system for distributing and generating at a remote site product redemption coupons comprising a centrally located repository of electronically stored product redemption coupon

data, transmission means operatively associated with said centrally located repository for providing data communication between said repository and a plurality of remote user computers, and a remote user computer operatively associated with said transmission means. The remote user computer in the present invention comprises interface means for providing user interaction with the centrally located repository, a memory, and a coupon data management program. The coupon data management program is implemented by the computer for requesting coupon data from the centrally located repository, for storing in the memory coupon data transmitted from the centrally located repository, and for generating printable coupon data from the stored coupon data. The remote user computer also comprises a coupon output buffer operatively associated with the data management program for storing the printable coupon data generated by said coupon data management program.

The present invention additionally comprises a printer for printing product redemption coupons from the printable coupon data stored in the coupon output buffer. Alternatively, the system may enable the user to transmit electronically the printable coupon data from the coupon output buffer to the centrally located repository or directly to the retailer for electronic coupon redemption.

As a result of the present invention, a user of the remote computer is able to request coupon data to be transmitted from said centrally located repository, and the user is able to instruct his computer to print or

electronically transfer product redemption coupons generated from the transmitted coupon data. In particular, the user's computer assembles product redemption coupons for printing by using two data components; (1) fixed coupon data which is transmitted to the user's computer during an initialization or "sign-up" process and which remains stored on the user's computer for subsequent coupon generation, and (2) variable coupon data which is transmitted to the user's computer whenever he requests coupon data from the central repository.

Additionally, the coupon data management program of the present invention operates in conjunction with the remote computer to allow the user to select and store certain desired coupon data from the coupon data transmitted by the centrally located repository and print coupons as selected. The coupon data management program also allows the user to generate a shopping list which is correlated to the coupons printed for subsequent redemption.

In the present invention, the data exchange capabilities provided by the transmission medium between the remote computer and the central repository allow the automatic transfer of valuable information from the remote computer to the central repository and, ultimately, to the coupon distributing and issuing centers. Information related to the coupons selected and printed can be supplied to the coupon distributors and issuers, which can also use information obtained from the various retail stores as to which coupons were actually redeemed in order to more intelligently market

subsequent coupons and target coupon issuance in a more cost effective manner.

5 The data exchange capabilities are further
advantageously utilized in the present invention to allow, via
the central repository, the updating of coupon data stored in
the user's remote computer without required interaction from
the user if the user is online. In particular, the central
repository can delete expired coupons from the remote
10 computer's coupon database and can vary the amount of
redemption value of a non-expired coupon if so desired. The
capability for the updating and deleting of coupons within a
user's computer is programmed in the user's computer such that
no further interaction with the central repository is required
15 for such coupons to be deleted or updated.

20 Finally, the present invention provides for secure
coupon generation by allowing the printing of a particular
coupon only once. Further, and quite importantly, the present
invention provides for the printing on each coupon of certain
user-specific data, thus making each coupon printed unique.
Thus, two different users with access to printing a particular
coupon will each print coupons with the same product,
discount, and expiration date data, yet each will be unique
25 since printed thereon will be user-specific data, preferably
in the form of a user-specific bar code. Thus, any attempts
to duplicate via photocopying techniques any particular coupon
will be discouraged since the coupon redemption center will
detect when a particular coupon has been redeemed, will
30 identify the user who redeems a particular coupon, and will

disallow any attempt at redemption of a second coupon with identical product and user-specific data.

BRIEF DESCRIPTION OF THE DRAWING

5

FIGURE 1 is a block diagram schematic of the system of the preferred embodiment for the electronic distribution of coupons.

10

FIGURE 2 is a detailed block diagram of the remote personal computer of Figure 1 configured in accordance with the present invention.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190

FIGURE 7 is a diagram of the use of an external cue to prompt access by the user of the system.

FIGURE 8 is a block diagram of an alternative embodiment of the present invention in which data is transmitted between the central repository and personal computer by satellite.

FIGURE 9 is a flowchart of the operation of the present invention.

FIGURE 10 is a schematic block diagram of the implementation of the coupon data package generation.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring to the system block diagram of Figure 1 and the flowchart of Figure 9, the electronic coupon distribution system of the preferred embodiment comprises a central located repository of electronically stored coupon data, which in the preferred embodiment is an online service provider 2. The term online service provider refers herein to any computer-based information service provider which is accessible by a remote personal computer user via a communications data link such as the public switched telephone network (PSTN) or the like, such as PRODIGY, COMPUSERVE, or AMERICA ONLINE. In addition, it is contemplated that the electronic coupon data distribution may be carried out by connection to any readily accessible Internet site such as the

World Wide Web. Referring to Figure 8, it is further contemplated that electronic coupon distribution may also be carried out via digital satellite communication links, thus avoiding the need for hardwired (i.e. PSTN) connectivity between the repository and the remote user computer. Thus, any centrally located computer system which is accessible to the public by any transmission means is contemplated as being within the scope of this invention. As used herein, the term "user" denotes an individual user or a household of users linked through one account.

The online service provider has stored in its database 40 (see Figure 6 and 10) various packages of electronic coupon data, the content of which will be further described below. The electronic coupon data is provided, by a coupon distributor 16 or coupon issuer 14, by any of various means such as electronic transmission via the PSTN or satellite data exchange. The online service provider also stores in a demographic data file 42 user-specific data, including coupons selected data, coupons deleted data, coupons printed data and user demographics, as will be described below, for subsequent transmission to a coupon distributor 16. The coupon distributor 16 will utilize the user-specific data and coupon redemption data in compiling subsequent coupon packages targeted specifically at certain user categories.

The online service provider 2 is connected with the data link 4 and is thus accessible by any remote personal computer 6 having a data communications interface 20 such as a modem (see Figure 2). The online service provider communicates

with the personal computer 6 in order to transmit requested coupon data, and also in order to receive coupon requests and the user-specific data mentioned above.

5 The remote personal computer 6 has connected thereto a printer 8, which may be any type of computer printer capable of printing graphics. The printer 8 is instructed by the coupon data management routines 32 stored in the computer 6 in order to print printed coupons 18, as will be described in
10 detail below.

 The printed coupons 18 are used in the normal fashion by a consumer when shopping at a desired retail store 10. That is, the coupons 18 are presented to a product
15 checkout station 11 along with the associated products for purchase, and the discount amount shown on the coupon 18 is credited to the consumer at the point of sale. The redeemed coupons 18 are transmitted to a coupon redemption center 13 where they are electronically read, and user-specific data is
20 stored in a coupon redemption database 12.

 In addition to the usual coupon information found in prior art coupons (e.g. redemption amount, company and product name, expiration date, etc.), the coupons 18 of the preferred
25 embodiment of the present invention contain user-specific data in the form of a unique user bar code 90, as shown graphically in Figure 5. The user bar code 90 is encoded with user-specific information such as the user name and/or other unique identification criteria such as a social security number or
30 online service address. This information renders each printed

coupon 18 unique, since an otherwise similar coupon presented by a different consumer will comprise a different user bar code 90. The use of a unique coupon 18 is but one aspect of the secure nature of the present invention as will be described in detail below.

The coupon redemption center 13 receives from a number of stores 10 the coupons redeemed, verifies the value of the redeemed coupons, determines the identification of users who redeemed the coupons, and distributes the information read from the coupons 18 to the individual coupon issuer 14 and to the coupon distributor 16. In particular, information regarding the redemption amount and the redeeming store 10 is forwarded to the particular coupon issuer 14 named on the coupon 18, which then credits the redeeming store 10 with the total amount of discounts given. Of particular value in the present invention is the distribution of user-specific data to the coupon distribution center 16, which collates such user information and performs marketing analysis via a marketing analysis means 17 in order to compile subsequent coupon packages targeted specifically at certain user categories. The coupon distribution center 16 utilizes the user-specific redemption data along with user-specific demographic data supplied by the online service provider 2 in order to compile subsequent coupon data download packages for use by consumers once again.

An online display screen 60 is shown in Figure 4a, which is provided to a user on a display 24 of his remote computer 6 whenever he is in online communication with the

service provider 2. The online display screen 60 comprises a join service function button 62, a download coupons function button 64, a help function button 66, and an online communications button 68. When the user desires to initially register for the electronic coupon distribution service, he selects the join service function button 62 which initiates a dialog with the online service provider 2 in order to request certain demographic data from the user which will be used to target specific coupon data packages for subsequent downloading. The user has the option of providing the requested information if he so desires. In addition, an offline coupon management program is transmitted electronically to the user's computer 6 for subsequent coupon data requesting, downloading and processing.

Figure 6 illustrates the functional aspects of the online service provider 2 in the preferred embodiment of the present invention. The main features provided by the online service provider 2 are the coupon packages file 40, the demographic data file 42, the online communications server 44, and the help file 46. Each of the aforementioned features communicates with the user via the data communications interface 48.

The coupon packages file 40 comprises electronic coupon data and other types of advertising materials supplied by the various coupon issuers 14 through the coupon distributor 16. Individual users' coupon data packages are drawn from this file based on demographic data and historic buying profiles stored in the demographic data file 42.

Advertisements may consist of graphics, text, recipes, competitions or other inducements or a combination thereof.

After joining the electronic coupon service, the user can order a package of electronic coupons from the online service provider 2 by selecting the download coupon function button 64. When this button is selected, commands are generated and transmitted via the data communications interface 20, through the data link 4, and up to the coupon package file 40 resident at the online service provider 2. The requested coupon data package and associated advertising materials are transmitted by the online service provider 2 to the personal computer 6, where it is stored in the downloaded coupon data file 30a in the coupon database 30.

The demographic data file 42 contains data representative of demographic inquiries presented to a user at the time that the user requests a download of coupon data from the coupon package data file 40, as well as data representative of the users' responses thereto.

The online communication server 44 is accessed by the user selecting the online communication button 68. The online communication server is a bulletin board type file where users can post messages to a coupon distributor or issuer regarding any issue of interest. The message data is transferred to the appropriate destination by the online service provider 2, which also collects the responses thereto and posts them on the online communication server 44, thus

allowing the user to fetch the response when logged on at a subsequent time.

By selecting the help function button 66, the help file 46 is used as a means for providing standard help and other useful information to a user.

Referring to Figure 2, the remote personal computer 6 of the preferred embodiment comprises a data communications interface 20 (such as a modem) for connecting the computer to the data link 4 (such as a PSTN), a user input device 22 such as a keyboard and mouse or other type pointing device, a display 24, and a processor 26, all of which are common to personal computers and are well known in the art. The computer 6 also comprises an output buffer 28, which typically resides in random access memory. The computer 6 is configured to operate in accordance with the present invention via a coupon database file 30 and an offline coupon data management routine file 32 loaded onto a fixed memory such as a hard disk drive. All of these internal components and files are connected to a data bus 21 for communication therebetween in accordance with techniques well known in the art.

The coupon database file 30 is segmented into various sections as shown in the memory map of Figure 2. The coupon database of the preferred embodiment comprises downloaded coupon data 30a, which is the entire coupon data package downloaded from the online service provider 2; selected coupon data 30b, which is a subset of the downloaded data and represents specific coupons electronically "clipped"

and stored therein; sorted coupon data 30c, which is selected coupon data sorted in accordance with a particular set of criteria (e.g. all fruits together, then all dairy products, etc.); fixed coupon parameters and user-specific data 30d, which is certain unvarying data used in printing the coupons as will be described in detail below; and store-specific data 30e, which is information regarding the product arrangement in a certain retail store 10 which will allow the user to prepare a shopping list tailored to the particular store.

The offline coupon data management routines 32 are executed by the processor 26 in conjunction with the coupon database 30 in order to request, obtain, store, select, sort, and print coupons as desired. The offline coupon data management routines 32 are executed by selecting a desired function button 52, 54, 56, or 58 as shown in the offline display screen 50 in Figure 4b. The offline display screen 50 is shown on the display 24 when the user runs the coupon data management program on his or her personal computer 6. The offline coupon data management routines 32 are executed in an offline fashion; that is, the user does not need to first be in online communication with the service provider 2. If a particular function button 52, 54, 56, or 58 chosen by the user initiates a routine 32 which requires online communication, that routine will initiate, control and terminate an online session with the service provider 2 automatically.

The request coupon download routine 32a is executed when the user desires to order a package of electronic coupons

from the online service provider 2. This routine is called when the user selects the download coupon function button 54. When this routine is called, commands generated by this routine are transmitted via the data communications interface 20, through the data link 4, and up to the coupon package file 40 resident at the online service provider 2. The requested coupon data package and associated advertising materials are transmitted by the online service provider 2 to the personal computer 6, where it is stored in the downloaded coupon data file 30a in the coupon database 30.

Prior to downloading the requested coupon data package to the computer 6, the demographic data file 42 provides certain demographic queries to the user in order to obtain valuable information for use in marketing analysis and subsequent coupon package generation. The users' responses to the queries are transmitted to the online service provider 2 and stored in the demographic data file 42 for subsequent processing.

The user may select the view function button 52 in order to view the coupons and advertisements previously downloaded. This selection will call the view coupons routine 32b, which will access the downloaded coupon data file 30a and present it to the user via the display 24.

While viewing the coupons and advertisement, the user may select a desired coupon for further sorting, storage, printing or deleting and/or shopping list generation by selecting or "clipping" the coupon with the mouse or keyboard

input 22. Coupons are clipped by scrolling through related advertisements. In order to avoid the need for clipping, the user may print or delete a desired coupon. The coupons selected in this function are stored for further processing in the selected coupon data file 30b.

The coupon file function button 56 enables the user to perform several operations on his selected coupon data file 30b. The user may view the coupons selected (from the selected coupon data file 30b), and may choose any of them for printing. Further, a sortation option is provided which logically sorts, by category and subcategory, the coupons stored. Thus, the management program automatically places all the dairy coupons together, and may also place all the milk coupons together within the dairy category. This is carried out by the coupon sortation routine 32c, and is akin to the manual filing system used in the prior art and will aid the user in viewing his selected but unprinted coupons in an efficient manner. The sorted coupons may be loaded into the sorted coupon data file 30c for subsequent viewing and printing. The user may optionally sort the coupons manually by his own classification.

The shopping list function button 58 calls the shopping list generation routine 32g when selected by the user. This routine will allow the user to generate a list from a menu presented on the screen whichever items the user desires to purchase, and the user can store and/or print this list as desired. The items on the list are compared against coupon data stored in the coupon database 30 and the user is informed of their existence. The user may then print out

those coupons along with the shopping list. Alternatively, the user may select certain coupons for printing, and the item associated therewith is automatically placed on the shopping list. Thus, in either fashion, the user's shopping list generation and coupon "clipping" tasks are conveniently merged in a timesaving manner.

The shopping list generation routine 32g may also advantageously use data stored in the store-specific data file 30e in order to prepare a shopping list tailored to an individual retail store. Thus, data regarding the layout of the store, the food items available at the store, and the like, are used by the list generation routine 32g in order to organize the purchase items accordingly. The data stored in the store-specific data file 30e may be obtained by any of several methods; by downloading from the online service provider 2, by inputting via a floppy disk memory supplied by the store, or even manually input by the user. Data for different stores can be kept in the file 30e and the user simply selects the store he intends on using at that particular time. The user may select a standard pre-programmed shopping list, his last generated shopping list, or a blank shopping list from which to commence his shopping list preparation.

The coupon upload routine 32cc is called automatically and without user request whenever the user requests a coupon download package from the online service provider 2. A record is kept by the upload routine 32cc indicative of each coupon selected by the user and each coupon

printed by the user. This record is sent to the demographic data file 42 in the online service provider 2, and is used for marketing analysis along with data regarding which coupons were actually redeemed, which information is obtained from the manufacturers' redemption agency or center.

Coupons are printed by the printable coupon data generation routine 32d, which is invoked by a user when he selects a print command from the coupon file function 56. This routine obtains data from two sources in the coupon database 30: the fixed coupon parameters and user-specific data file 30d, and the variable coupon data associated with the particular coupon selected for printing.

Referring to Figure 3, the data format of the fixed coupon parameters and user-specific data are set forth and include predefined border graphics which are the same for every coupon printed, redemption instructions, and a user identification bar code number. The user identification bar code number is a unique number assigned to that user, e.g. his social security number or online identification number. This number will be encoded by the printable coupon data generation routine 32d and printed as a bar code 90 on each coupon 18 printed for the particular user. This information will thus be obtained by the coupon redemption center and provided to the coupon distributor 16 for demographic analysis and the like.

The unique user bar code 90 also renders the electronic coupon system of the present invention secure and

virtually fraud-proof. Although a user is able to print out a particular coupon 18 only once (to be described in detail below), the coupon issuer 14 could still be defrauded by a user or retailer who might photocopy a printed coupon numerous times and fraudulently and repeatedly present it for redemption. However, in accordance with the present invention, each coupon printed by a user is unique, and the scanning of a coupon presented for redemption will be stored at the coupon redemption center. Thus, the coupon issuer will know if a particular user has redeemed a particular coupon and thus disallow further redemption of a photocopied coupon bearing the same indicia.

Referring again to Figure 3, the data format of the variable coupon parameters are set forth and include the coupon expiration date, the redemption amount, the company and product information, the UPC code, the redemption address, and the description of the coupon offer.

Thus, the printable coupon data generation routine 32d combines all this information and generates a record indicative of the unique coupon to be printed. This record is temporarily stored in the output buffer 28, where it is subsequently sent to the printer 8 for printing. In the alternative, the coupon may be redeemed electronically by sending the coupon data in the output buffer via the data communications interface 20 back to the online service provider 2. This is especially useful in the "electronic shopping mall" environment now found in many online services. The electronic coupon data could also be routed via the data

communications interface 20 to a retail store where the user will be shopping, where the coupon data is held in a buffer pending purchase by the user of the matching product.

5 As described above, the electronic coupon distribution system of the present invention allows the printing of a particular coupon only once, thus providing for security and guarding against fraudulent redemption. This is accomplished by the coupon deletion routine 32e, which is
10 called whenever a coupon is printed and deletes the coupon from the database 30 or renders it unprintable by setting an appropriate flag. In addition, the coupon deletion routine 32e allows for automatic deletion of expired coupons by periodically checking the expiration date field of each coupon
15 against a real-time clock found in the computer 6. Optionally, the user may voluntarily delete any coupon which is expired if the real-time clock is not set to the correct date. For the user's convenience, the online service provider
20 2 can check the system clock of the user's computer 6 during a communications session and, if the date is incorrect, can ask the user if he would like the date adjusted automatically.

25 Since the actual expiration date is always printed as part of the coupon, the function of deleting expired coupon data from the user's computer 6 is for the convenience of the user rather than for security purposes.

30 The system of the present invention also allows for time-sensitive deletion of certain coupon data from the user computer 6 which is unrelated to the expiration date. That

is, certain coupon data may be automatically deleted from the user's computer after, e.g., one month, notwithstanding that the coupon, if printed, might have an expiration date in six months. This feature is included to prompt users who know of the time-sensitive autodeletion to promptly print (and use) coupons rather than risk having them deleted from their database.

The coupon management program also can vary the redemption value of any coupon already downloaded to the user's computer 6 without the need for specific user interaction. A coupon variation routine 32f is called which aids in this task. Again, any time that a user initiates a download of coupon data, the on-line service provider 2 can update redemption amounts for coupons whose issuers have decided to change the discount amount.

Referring to Figure 5, the secure coupon 70 generated and printed in the preferred embodiment is illustrated in detail. The secure coupon 70 comprises the following fixed components taken from the fixed coupon parameter and user-specific data file 30d: border graphics 72, redemption instructions 88, and user identification bar code 90. The secure coupon 70 also comprises the following variable components which change for each coupon selected: expiration date 78, redemption amount 74, description of the offer 76, company and/or product information 80, the item's UPC number 82 and the associated UPC bar code 84, and the redemption address 86.

Referring to Figure 10, the generation of coupon data packages by the coupon distributor 16 will be explained. The information collected by the coupon distributor 16 from the online service provider 2 regarding the coupon data selected by the user, the coupon data printed by the user, and the requested demographic information is stored in a database 11. The database 11 also stores information from the coupon redemption center 13 regarding the coupons actually redeemed by the user. The database 11 further stores information regarding all coupons which are made available by the various coupon issuers 14 from which it will generate coupon data packages for subsequent downloading to users.

The information stored in the database 11 is input to the marketing and targeting analysis means 17, which carries out the function of analyzing the aforementioned information in a manner known in the art to arrive at different coupon packages. That is, it may be determined by the analysis means 17 that users with dogs in their household (which is known by the demographic responses) will get a certain package comprising dog food coupons. It may be further determined that users who select, print and redeem dog food coupons of Brand X will get coupons issued by Brand Y, or will get only low value coupons since they are already dog food coupon users, etc. That is, depending on the marketing and targeting criteria and objectives, the analysis means will generate coupon packages as desired.

Thus, the analysis means generates a number of differing coupon data packages for transmittal to the online

service provider 2. The analysis means also provides specific mapping information which will instruct the online service provider as to which user should be provided with which package(s). For example, user 1 may be mapped to coupon data packages 2 and 3; user no. 2 to packages 3 and 6, etc. This mapping function may be carried out by the coupon distributor and provided to the online service provider at regular intervals, e.g. once per week. Thus, the coupon selection, printing and redemption habits may be analyzed over a time period and used to determine the subsequent targeted packages.

In addition to mapping certain coupon data packages to certain users, certain advertising packages may be mapped to the users in a similar fashion.

In accordance with the present invention, the marketing analysis, coupon packaging, and coupon package distribution functions carried out by the coupon distributor 16 may be carried out at the central data repository, i.e. Internet web site. Further, the coupon redemption and user redemption information processing functions individually carried out by the coupon redemption center 13 and the individual retail stores 10 may be combined into a single redemption center, as shown by the dotted line in Figure 1. The physical layout of the functions within the system of the present invention is a matter of practicality and choice of the systems designer and does not impact the utility of the present invention.

In an alternative embodiment of the present invention, the user is provided with a visual or auditory stimulus or cue to suggest an access of the electronic coupon distribution system. Referring to Figure 7, a message or logo may be included along with the advertising material normally provided on television, in the newspapers, and the like. This will indicate to a user that he should access the online service provider 2 in order to obtain coupon data related to the advertised product. The availability of the coupon could be time-sensitive, which would provide further incentive to the user to use the system in a prompt and efficient manner. When the radio media is used, a tonal or spoken cue may be included during the advertising message to accomplish the same result.

The amount of redemption discount included with a coupon downloaded to a user may be varied depending on certain demographic information that the system has about the user. For instance, the system may provide a certain value for known users of a brand (which information it will obtain by demographic inquiry or through previous redemptions in the system), and it may provider a higher discount in order to provide an incentive to users of a competitive brand. The ability to vary the value of a discount offer in accordance with such demographic and usage data is a unique advantage offered by the system of the present invention and heretofore unavailable in the prior art.

Referring to Figure 8, an alternative means of communication between the online service provider 2 or the

coupon distributor 16 and the remote computer 6 is illustrated. A satellite communications apparatus 94 is advantageously used to provide a wireless data link 4. In this embodiment, the data communications interface 20 is a satellite antenna dish or other transceiver unit which provides operative communication between the remote computer 6 and the satellite 94. A similar unit is located at the online service provider 2 in order for full wireless data communications to be achieved.

The flowchart of Figure 9 illustrates the flow of information in the system of the present invention. The information flow illustrated therein has been described in detail in connection with the implementing system.

In a further alternative embodiment of the present invention, the functions of the online service provider 2 are carried out at a site on the Internet. That is, a user may access the coupon data repository by accessing an appropriate Internet site. In this embodiment, the downloaded coupon management routines are encoded with a unique user identification number, which may be for example the user's e-mail Internet address. When the user requests coupon data packages to be transmitted, the user identification number is encrypted and sent to the Internet site along with the request. Appropriate routines are implemented at the Internet site to decrypt the user's identification number and compare it against a list of valid members in order to ensure the validity of the user.

In another alternative embodiment of the present invention, all coupon data management functions are carried out by the online service provider 2 rather than by the offline coupon data management routines 32. In this case, the speed of access of the online service provider 2 must be high, for example on the order of 28.8kbps. When high speed communications are used, the need for offline data manipulation is eliminated and all processing can be carried out in an efficient manner while connected to the online provider 2.